



# ADT 104 HP: SET D ADAPTATEURS HAUTE PRESSION

adaptateurs haute pression

adaptateurs pour pression supérieure à 1000 bars jusqu'à 2800 bar

## Description

set d'adaptateurs: 1/4HP male (Autoclave M-250-C) vers divers connecteurs (17pcs, livrés en valise);  
(pour pompe additel 949 et 959 et ADT 681, ADT 672 et ADT 680 haute pression)

| Model            | Description                           | Max Pressure | Picture   |
|------------------|---------------------------------------|--------------|---|
| ADT100-HPM-M14F  | Adapter, 1/4HP male to M14X1.5 female | 40,000 psi   |    |
| ADT100-HPM-M20F  | Adapter, 1/4HP male to M20X1.5 female | 40,000 psi   |   |
| ADT100-HPM-BSPF4 | Adapter, 1/4HP male to 1/4BSP female  | 40,000 psi   |   |
| ADT100-HPM-BSPF3 | Adapter, 1/4HP male to 3/8BSP female  | 40,000 psi   |   |
| ADT100-HPM-BSPF2 | Adapter, 1/4HP male to 1/2BSP female  | 40,000 psi   |   |
| ADT100-HPM-NPTF4 | Adapter, 1/4HP male to 1/4NPT female  | 15,000 psi   |  |
| ADT100-HPM-NPTF2 | Adapter, 1/4HP male to 1/2NPT female  | 15,000 psi   |   |
| ADT100-HPM-M14M  | Adapter, 1/4HP male to M14X1.5 male   | 40,000 psi   |  |
| ADT100-HPM-M20M  | Adapter, 1/4HP male to M20X1.5 male   | 40,000 psi   |   |
| ADT100-HPM-BSPM4 | Adapter, 1/4HP male to 1/4BSP male    | 40,000 psi   |   |
| ADT100-HPM-BSPM3 | Adapter, 1/4HP male to 3/8BSP male    | 40,000 psi   |   |
| ADT100-HPM-BSPM2 | Adapter, 1/4HP male to 1/2BSP male    | 40,000 psi   |   |
| ADT100-HPM-NPTM4 | Adapter, 1/4HP male to 1/4NPT male    | 15,000 psi   |  |
| ADT100-HPM-NPTM2 | Adapter, 1/4HP male to 1/2NPT male    | 15,000 psi   |   |
| ADT100-HPM-HPM4  | Adapter, 1/4HP male to 1/4HP male     | 40,000 psi   |  |

| Model                   | Description                           | Max Pressure |
|-------------------------|---------------------------------------|--------------|
| <b>ADT100-HPM-M14F</b>  | Adapter, 1/4HP male to M14X1.5 female | 15,000 psi   |
| <b>ADT100-HPM-M20F</b>  | Adapter, 1/4HP male to M20X1.5 female | 15,000 psi   |
| <b>ADT100-HPM-BSPF4</b> | Adapter, 1/4HP male to 1/4BSP female  | 15,000 psi   |
| <b>ADT100-HPM-BSPF3</b> | Adapter, 1/4HP male to 3/8BSP female  | 15,000 psi   |
| <b>ADT100-HPM-BSPF2</b> | Adapter, 1/4HP male to 1/2BSP female  | 15,000 psi   |
| <b>ADT100-HPM-NPTF4</b> | Adapter, 1/4HP male to 1/4NPT female  | 15,000 psi   |
| <b>ADT100-HPM-NPTF2</b> | Adapter, 1/4HP male to 1/2NPT female  | 15,000 psi   |
| <b>ADT100-HPM-M14M</b>  | Adapter, 1/4HP male to M14X1.5        | 40,000 psi   |



| Model                   | Description                               | Max Pressure |
|-------------------------|---|--------------|
|                         | male                                      |              |
| <b>ADT100-HPM-M20M</b>  | Adapter, 1/4HP male to M20X1.5 male       | 40,000 psi   |
| <b>ADT100-HPM-BSPM4</b> | Adapter, 1/4HP male to 1/4BSP male        | 15,000 psi   |
| <b>ADT100-HPM-BSPM3</b> | Adapter, 1/4HP male to 3/8BSP male        | 40,000 psi   |
| <b>ADT100-HPM-BSPM2</b> | Adapter, 1/4HP male to 1/2BSP male        | 40,000 psi   |
| <b>ADT100-HPM-NPTM4</b> | Adapter, 1/4HP male to 1/4NPT male        | 15,000 psi   |
| <b>ADT100-HPM-NPTM2</b> | Adapter, 1/4HP male to 1/2NPT male        | 15,000 psi   |
| <b>ADT100-HPM-HPM</b>   | Adapter, 1/4HP male to 1/4HP male (3 pcs) | 60,000 psi   |